


# Validation of the California Rapid Assessment Methodology for Bar-built Estuaries

BOTTOM WATER QUALITY






Open

Partially open


Closed

Open



# Lagoon CRAM validation sites

Figure 1



# Lagoon CRAM validation sites

## CRAM Data:

- Buffer / Landscape
- Hydrology
- Physical structure
- Biotic structure
- Stressors


## Concurrent focus data:

Find appropriate indicators

Correlate w/ CRAM

Challenges:

spatio-temporal dynamics



n = 32

# Data collected at validation sites

## CRAM Data:

- Buffer / Landscape
- Hydrology
- Physical structure
- Biotic structure
- Stressors

## Bar measurements

## Water Quality (3/site):

- Temp
- DO
- Salinity
- PH
- Clarity (Sechi-disc)

## Productivity sources:

- Algae –Marine subsidy
- Emergent veg. (CRAM)
- Submergent veg. (CRAM)

## Channel cross sections

- Depth / width
- Substrate
- Algae (% composition)
- Wind (lagoon & beach)

## Water Chemistry


- Nitrogen (Ammonium, nitrate, nitrite)
- Phosphate

## GIS landscape stressors

- 4 different scales

## Vegetative Community:

- Stratified-random
- Percent cover of plants



n = 32

# Data collected at validation sites

## CRAM Data:

- Buffer / Landscape
- Hydrology
- Physical structure
- Biotic structure
- Stressors

## Bar measurements

## Water Quality (3/site):

- Temp
- DO
- Salinity
- PH
- Clarity (Sechi-disc)

## Productivity sources:

- Algae –Marine subsidy
- Emergent veg. (CRAM)
- Submergent veg. (CRAM)

## Channel cross sections

- Depth / width
- Substrate
- Algae (% composition)
- Wind (lagoon & beach)

## Water Chemistry


- Nitrogen (Ammonium, nitrate, nitrite)
- Phosphate

## GIS landscape stressors

- 4 different scales



## Vegetative Community:

- Stratified-random
- Percent cover of plants






n = 32

# Validation site index scores by region



n = 32

# Validation site index scores by region



n = 32


# significant correlations

## CRAM & EMAP

Metric	L3	$\rho$	p-value
Buffer and Landscape	Number of natives	0.59	0.0069
buffer width	Total species richness	0.55	0.0105
Hydrology	Number of natives	0.51	0.0135
Hydrology	Total species richness	0.46	0.0262
hydroperiod	Total species richness	0.45	0.0260
hydrologic connectivity	Number of natives	0.54	0.0156
Physical	Number of natives	0.53	0.0146
topographic complexity	Number of natives	0.49	0.0195
Biotic	Number of natives	0.51	0.0282
number of codominants	Number of natives	0.51	0.0141
number of invasives	Percent non-natives	-0.50	0.0117
number of invasives	Percent non-natives along backshore	-0.42	0.0397
Index	Number of natives	0.67	0.0002

# CRAM Index vs EMAP natives

Figure 3.




# significant correlations

## CRAM & Nutrients


CRAM	Nutrient	$\rho$	p-value
Hydrology	NH <sub>3</sub>	-0.45	0.0321
Hydrology	NO <sub>2</sub> <sup>-</sup>	-0.59	0.0022
Hydrology	NO <sub>3</sub> <sup>-</sup>	-0.40	0.0469
hydrologic connectivity	NO <sub>2</sub> <sup>-</sup>	-0.43	0.0385
water source	NH <sub>3</sub>	-0.66	0.0003
water source	NO <sub>2</sub> <sup>-</sup>	-0.73	0.0000
water source	NO <sub>3</sub> <sup>-</sup>	-0.41	0.0453
water source	PO <sub>4</sub> <sup>-3</sup>	-0.48	0.0238

# Hydrology vs. NH3



# Next Steps

Quantify linkage between mouth dynamics and ecosystem services of marsh plain



Overlap with focal research  
to tie long-term one-site studies  
to one-time wide-geographic approach



# Species services / nursery role



Estuary- Open to Ocean (Jan.-June)



Lagoon- Sand Bar Closed (July-Dec.)





# Steelhead in Scott Creek

**Typical spring downstream migrant (smolt?)**






**After 5-6 months rearing in estuary**





100mm

# Historical Ecology



# Historical Ecology



Questions?

